



Global TPE Sealing Solutions

About Us


CNTConta was founded in **Gebze, Turkey**, in 2004 and started to manufacture custom TPE-based (Thermoplastic Elastomer) gaskets for the PVC window industry.



Our Locations

Production Facility
Turkey - China

Office / Warehouse
USA - Ukraine



Our Companies

Our Overseas Companies



Ningbo Conta Sealing Products Co Ltd. – est. 2014

Production: Thermoplastic Elastomer - based (TPE)
Custom Extrusion Profiles



Conta North America Inc. – est. 2014

Sales Office: Thermoplastic Elastomer - based (TPE)
Custom Extrusion Profiles

Our Affiliated Companies



Pulver Kimya

1988 Powder Coating Manufacturer



Pulron


2013 Thermoplastic Powder Coating Manufacturer




Powcoat

2018 Veneer Powder Coating Manufacturer


Milestones



Headquarters Production Facility in Turkey



45.000 m²
Area



36.814 m²
Indoor Space



Annual Production
Capacity
350 Million Meters




Gebze Organized Industrial Zone
Gebze, Kocaeli | Turkey



Production Facility in China




2.500 m²
Indoor Space



Annual Production
Capacity
50 Million Meters



Xiaogang, Belюн District Ningbo | Çin



Warehouse in the US

21500 ft²
Storage Area



*300 tons of goods are
dispatched from our
warehouse annually.*



Gainesville, Georgia | USA



Warehouse in the Ukraine

750 m²

Storage Area



150 tons of goods are dispatched from our warehouse annually.



Kiev | UKRAYNA



Our Global Team

Employees
in Turkey



R&D

13



TOOLING
DEPARTMENT

17



QUALITY CONTROL

15



MARKETING

3



DOMESTIC SALES

4



OVERSEAS SALES

8



PRODUCTION

141



DOMESTIC TOTAL

201



Employees
in USA

4



Employees
in China

12




GLOBAL TOTAL


217

R&D Department

Our design team designs the gaskets according to our customers' needs.

The design team draws two- and three-dimensional sketches of gaskets with Solidworks and Autocad programs in line with the information received from the customer.







```
!"#$%&'()*+("#"),%#,&(-./
0%12$3&,&4)56&"$(.+)&8$
$)('$&#,&+(&"&+9:;1%,"9
1)4*#$)"1(<)+(8)66&+8#%4
=&+9&+%)>+1>
```




```
=&8&#,&'(?@A?(=B3(!' '*1$+:
C)44%D)+%$#"(.+)9+%6(0+% "$
1*55)+$(+)(+)*( /E5%"1#)"
F)#"$ (3&,&4)56&"$(.+)7&8$>
```



G%'&(%('%55#8%\$#)"(<)+\$H&(6)4'
6)'	(5+)7&8\$(IH&+(6%\$&+#+1(I\$H
'<#&+&+"\$()1\$:-I#44[D&(+&4%1&'(<+)6
\$H&(6)4'(%\$/\$H&(1%6&(<4)I(15&&'>



K("&I(6&\$H)'(<(9%12&\$
(5+)'*8\$#"(#1(('%')5\$&'>



3&54):&'(%("&l(2#"'')<(&"' *+#"9
9%12&\$(\$)(5+),# '&(%#+\$#9H\$J
1)"*' '5+)>J(1\$&%6\$#9H\$("%'
l%\$&+5+))<(1&%+#"9>



G% ' &(% (5+) 7&8\$ (% 55# 8%\$#) " (\$)
8+&%\$& (% (5+) ' * 8\$#) " (6&\$H) ' (\$)
D * #4 ' (% (") "; # %&+ (1\$ + * 8\$* +& (#"
\$H& (&E\$* 1#) " (5+) 8&11>

R&D / Our Machinery

**Plastic Hardness
Tester**



**Force
Meter**




**Deep-Freeze Tester
(-60°C / -76 °F)**



**Drying
Oven**





**Density
Meter**



Tooling Department



All our molds are designed in our design department according to customers' needs and manufactured in our tooling department.






23

Tri-Ex (Three
Durometer) Profile
Production Lines




2

Dual Durometer
Refrigerator Gasket
Manufacturing Lines



Manufacturing / Secondary Manufacturing Processes



5

White Goods
Welding Lines



16

Butt-Welding Lines



7

Refrigerator Corner
Welding Lines



Quality Control


All of our lines are PLC-controlled.
Production in DIN ISO 3302-1 / E1
tolerances.




The measurement
process is carried out
within the specified
tolerance range.




Measurement results
are transferred to the
integrated SAP system.



Non-conforming products
are rejected.



All measurements
are documented.



Samples from all
measured products are
kept for about one year.





QUALITY CERTIFICATES AND APPROVALS



Quality System Management

PVC Profile Gasket Industry



White Goods and Refrigerator Gaskets Industry



Our Export Locations

- Germany
 - USA
 - Canada
 - France
 - Italy
 - Slovenia
 - Bulgaria
 - Serbia
 - Romania
 - Ukraine
 - Slovakia
 - Macedonia
 - Hungary
 - Azerbaijan
 - Uzbekidtan
 - Kyrgyzstan
 - Tajikistan
 - Kazakhstan

- China
 - Netherlands
 - Russia
 - Belgium
 - Poland
 - India
 - South Korea
 - Tunisia
 - Algeria
 - Morocco
 - Libya
 - Iraq
 - Israel
 - Pakistan
 - Thailand
 - Taiwan
 - Myanmar
 - Armenia

- Austria
 - Belarus
 - Czechia
 - Georgia
 - Jordan
 - Kosovo
 - Oman
 - Spain
 - Turkmenistan
 - UAE
 - Mexico



CNT PVC Door & Window System Gaskets


GLASS BEAD GASKET




SASH GASKET





FRAME GASKET



UNIVERSAL GASKET



CNT Slipcoat



Softer Durometer Upper Part

Low Permanent Deformation with a Perfect Sealing.

Slip Coat Surface


Aesthetic Appearance.
Slippery Surface to reduce drag.
Perfect UV and Heat Resistance.
Perfect Wear Resistance.

Harder Durometer Rigid Part

No Shrinking in the profile after insertion.
Don't come out of the profile.
Automatic In-line Insertion is possible.



CNT Aluminum Door, Window and Curtain Wall System Gaskets



CNT Wooden Door and Window System Gaskets





CNT White Good Gaskets



CNT Refrigerator, Deep-Freezer and Walk-in Cooler Gaskets



CNT Pipe Clamp Gaskets



CNT Toolbox Cover Gaskets


We can design and manufacture welded products in compliance with all kinds of IP test norms.




CNT Trailer Gaskets





CNT PV Solar Module Clamp Gaskets



CNT Roof Systems



CNT Luggage Gaskets



“We invite you to experience the
comfort of **CNTConta...**”

www.cntconta.com